Subpart D Data Pre-populated from Clean Air Markets Division Business System (CBS)

Starting with RY2017, EPA has attempted to pre-populate certain Subpart D data elements in e-GGRT using data submitted under the 40 CFR Part 75 Clean Air Markets Division (CAMD) business system.

Subpart D facilities which also submit data under Part 75 will find certain data elements pre-populated in e-GGRT. If your Part 98 Subpart D reporting for RY16 included a unit (i.e., unit, common stack, common pipe, or multiple stack numbers) named identically to a unit reported under Part 75, data for that unit will be pre-populated. §98.36(d)(i) requires that unit or stack identification numbers are the exact same unit, common stack, common pipe, or multiple stack numbers that represent monitoring locations that are reported under §75.64. EPA will only pre-populate those data elements into e-GGRT that are available from the Part 75 reporting. Sections of e-GGRT web-forms that may include data pre-populated from the CAMD Business System (CBS) will

include the flag,

The specific data elements that EPA will attempt to pre-populated include:

| Section | Element |
|---|--|
| Add/Edit Unit/Stack/Pipe | Unit, stack or pipe ID numbers as reported under §75.64 Unit Description (Optional) Plant code(s) associated with any combustion unit(s) included in this configuration, if applicable. Part 75 Methodology used to calculate CO2 emissions Calculation Methodology Start Date |
| CEMS Unit/Stack/Pipe Emission Information | Annual CO2 emissions including biomass (report emissions exactly as reported under Part 75) (Short Tons) Annual CO2 emissions including biomass (Metric Tons) Total number of source operating hours in the reporting year that CO2 concentration was missing Total number of source operating hours in the reporting year that stack gas flow rate was missing Total number of source operating hours in the reporting year that moisture content was missing Total number of source operating hours in the reporting year that moisture content was missing |
| LME Unit/Stack/Pipe Emission Information | Annual CO2 emissions including biomass (report emissions exactly as reported under Part 75) (Short Tons) Annual CO2 emissions including biomass (Metric Tons) |
| Equation G-1 Unit/Stack/Pipe Emissions Information | Annual CO2 emissions including biomass (report emissions exactly as reported under Part 75) (Short Tons) Annual CO2 emissions including biomass (Metric Tons) |
| Equation G-4 Unit/Stack/Pipe Emissions Information | Annual CO2 emissions including biomass (report emissions exactly as reported under Part 75) (Short Tons) Annual CO2 emissions including biomass (Metric Tons) |

Validation Messages based on Pre-populated CBS data

Pre-populated data may be changed or corrected by the user as needed. Where the data entered into e-GGRT data does not match what EPA expected based on your CBS reporting you will receive a validation message. These validation messages are just informational based on CBS data as of early February 2018 and do not consider changes made to CBS data since then. Additionally these validation messages are not critical errors (i.e., do not prevent submission) and may be ignored if you believe the data you have entered is correct.

Unique Part 98 Reporting Requirements

Reporters will still be required to enter other data into e-GGRT including:

- Fuel-level information, including annual mass emissions of N₂O and CH₄
- Biogenic CO₂ emissions at each monitoring location
- Emissions from non-Part 75 units according to §98.42
- All other reporting requirements as described in §98.46

Report Certification

Reporters are responsible for reviewing the prepopulated data and confirming that it is accurate and in compliance with the requirements of Part 98 prior to certifying and submitting the greenhouse gas emissions report.

You can change elements pre-populated from Part 75, however, overwriting may result in inconsistencies between data systems which may require follow up from EPA after reports are submitted.

Note: 40 CFR Part 98 Electricity Generation applies to electricity generating units that are subject to the requirements of the Acid Rain Program and any other electricity generating units that are required to monitor and report to EPA CO2 mass emissions year-round according to 40 CFR part 75

The following 5 pages may include data provided by the CAMD Business System (CBS):

Add/Edit Unit/Stack/Pipe

| | | | e-GGRT 🍂 |
|------------------------------|---|---|---|
| HOME FACILITY REGISTRA | ATION FACILITY MANAGEMEN | T DATA REPORTING HELP DESK | Electronic Garenhouse Gas Reporting Tool |
| | | | Helio, Isaac Locke My Profile Logind |
| | Subpart C Aggregation | | |
| | Subpart D: Electric Subpart D Overview - AddEd | ty Generation (2017) t Unit/StackPipe | |
| | Use this page to uniquely ide units must use the same iden (i.e. unit, stack, or pipe) as is | ut adding and editing a subpart D unit, stack, | ed location |
| | UNITISTACKPIPE IN | ORMATION | |
| | Unit, stack or pipe ID numbers as reported under §75.64 | | (40 characters maalmum) |
| | Unit Description (Optional) | | |
| | Plent code(s) essocieted with any combustion unit(s) included in this configuration. If applicable. | Plant codes are expected to be up to 6 digits | (comma-delimited, numeric) s with each code not greater than 889999. If |
| | | you have more than one plant code to report with a comma. In most cases, the same plan configuration at the facility. However, one fac- multiple plant codes that apply to different or between the part 38 definition of "facility" and plant codes. If you need more information ab provided on the left. | it code will apply to each reporting citly reporting under the GHGR9 may have onfigurations because of differences d the conventions used by EIA to assign |
| | COL METHODOLOGY | | |
| | Part 75 Methodology used* to calculate CO2 emissions | Select | * |
| | Calculation Methodology Start Date | E101/2017 The date for which this calculation methodology was in use prior to Jathe start date. If the facility antiched to this methodology which the methodology charge occurred. | aneary 1, 2017 select January 1, 2017 as |
| | Calculation Methodology End Date | 12/31/2017 | |
| | | If no change in calculation methodology occu 2017 as the end date. If a change in calculat on which this methodology was last used. | smed during 2017, select December 31, for methodology occurred, order the date |
| | ACID RAIN PROGRA | | |
| | Is this unidstack/pipe in* the Acid Rain Program? | © Yes © No | |
| | CANCEL SAVE | | |
| | EPA has attempted to System (CBS). | synchronize the information on this form with | data already reported to EPA via the CAMD Business |
| perverk Reduction Act Barden | Statement Contact Us | | 6-0081 R02017.825 (124:05438 5PD-448048 |

| SEPA United S Environn Agency | | rotection | | | e-GGRT 🎺 |
|--|------------------------------|--|--|---|--|
| HOME FACILITY REGISTR | ATION | FACILITY MANAGEMEN | T DATA REPORTING | HELP DESK | Electronic Greenhouse Gas Reporting Tool |
| | | | | | Hello, Isaac Locke My Profile Logout |
| e-GGRT Help | | part C Aggregation | ty Generation | (2017) | |
| Using e-GGRT for Subpart D reporting | Subpa | art D Overview » Add/Edi | t Unit/Stack/Pipe | | |
| | Use unit: (i.e. For | ECTRICITY GENERATING this page to uniquely ider s must use the same iden unit, stack, or pipe) as is additional information about the e-GGRT Help | ntify and define electrici tification number that re reported under §75.64. but adding and editing a | ty generating units. S presents the monitor | red location |
| | CAM | UNIT/STACK/PIPE INF | FORMATION | | |
| | | Unit, stack or pipe ID* numbers as reported under §75.64 | | | (40 characters maximum) |
| | Unit | Description (Optional) | | | |
| | | nt code(s) associated with any combustion unit(s) included in this configuration, if applicable. | | | (comma-delimited, numeric) |
| | | | you have more than on with a comma. In most configuration at the fac multiple plant codes the between the part 98 de | e plant code to repo cases, the same pla ility. However, one fa at apply to different o finition of "facility" ar | s with each code not greater than 889999. If rt for this configuration, separate each code nt code will apply to each reporting icility reporting under the GHGRP may have configurations because of differences ad the conventions used by EIA to assign bout plant codes, please see the help link |
| | CAM | CO2 METHODOLOGY | | | |
| | | 75 Methodology used * Iculate CO2 emissions | Select | | T |
| | Cal | culation Methodology* Start Date | 98. If this methodology | was in use prior to J ility switched to this | thodology was first used to comply with Part anuary 1, 2017 select January 1, 2017 as methodology during 2017, enter the date on |
| | Cal | culation Methodology* End Date | | If a change in calcula | curred during 2017, select December 31, tion methodology occurred, enter the date |
| | САМ | ACID RAIN PROGRAM | INFORMATION | | |
| | | this unit/stack/pipe in* e Acid Rain Program? | YesNo | | |
| | CAN | SAVE | | | |
| | | EPA has attempted to m (CBS). | synchronize the informa | tion on this form with | n data already reported to EPA via the CAMD Business |
| Paperwork Reduction Act Burden | I Stateme | nt Contact Us | | | e-GGRT RY2017.R25-j124r35438 SPD-AddUnit |

CEMS Unit/Stack/Pipe Emission Information

| | stores nental Protection | e-GGRT 🔑 |
|---|---|--|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT DATA REPORTING HELP DESK | Electronic Greenbouse Gas Reporting Tool |
| | | Helo, basi Loste My Polle Logist |
| e-GGRT Help Using e-GGRT for Subpart D separating | Subpart C Aggregation Subpart D: Electricity Generation (2017) Subpart D Overlew - CEMS - Unit/Stack/Pipe Emissions Information | |
| | ELECTRICITY GENERATING UNIT, STACK, OR PIPE EMISSIONS Use this page to enter the annual greehouse gas emissions information for this unit, stack, or pipe, for additional information about the data collected on this page, please use the e-GGRT Holg Ink(s) provided. | Annual COc emissions (shorttons) |
| | | Annual CO2 emissions (metric tons) |
| | UNITISTACK/PIPE INFORMATION | |
| | Unit/Stack/Pipe ID CEMS | |
| | Description | |
| | Part 75 CO2 Methology CEMS | |
| | Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | TOTAL ANNUAL CO2 MASS EMISSIONS | |
| | Annual CO2 emissions (shot tons) including biomass (report emissions exactly as reported under Part 75) | |
| | Annual CO2 emissions (metric tons) including biomass | |
| | Total biogenic CO2 mass emissions (metric tons) | |
| | MISSING DATA INFORMATION | |
| | Total number of source operating hours (hours) in the reporting year that COo concentration was mining | |
| | Total number of source operating hours (hours) In the reporting year that stack gas flow rate was missing | |
| | Total number of source operating hours (hours) Note: Required only if a in the reporting year that molatane content was missing | pplicable. |
| | CANCEL | |
| | EPA has attempted to synchronize the information on this form with data alread System (GDS). | y reported to EPA via the CAND Business |
| Paperwork Reduction Act Durder | Statement Contact Us e-ODIRT | R12017.R25-j124/35438 570-ConfgEmissions |

| | tates nental Protection | e-GGRT 🎉 |
|---|---|--|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT DATA REPORTING HELP DESK | Electronic Greenhouse Gas Reporting Tool |
| | Subset C Assess | Hello, Isaac Locke My Profile Logout |
| e-GGRT Help | Subpart C Aggregation Subpart D: Electricity Generation (2017) | |
| Using e-GGRT for Subpart D reporting | Subpart D Overview » CEMS » Unit/Stack/Pipe Emissions Information | |
| | ELECTRICITY GENERATING UNIT, STACK, OR PIPE EMISSIONS Use this page to enter the annual greenhouse gas emissions information for this unit, stack, or pipe. For additional information about the data collected on this page, please use the e-GGRT Help link(s) provided. | Annual CO2 emissions (short tons) |
| | | Annual CO2 emissions (metric tons) |
| | | Total biogenic CO2 mass emissions (metric tons) |
| | | |
| | Unit/Stack/Pipe ID CEMS | |
| | Description | |
| | Part 75 CO2 Methdology CEMS | |
| | Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | CAMD TOTAL ANNUAL CO2 MASS EMISSIONS | |
| | Annual CO ₂ emissions (short tons) including biomass (report emissions | |
| | exactly as reported under Part 75) | |
| | Annual CO ₂ emissions (metric tons) including biomass | |
| | Total biogenic CO2 mass emissions (metric tons) | |
| | CAMD MISSING DATA INFORMATION | |
| | Total number of source operating hours in the reporting year that CO ₂ concentration was missing | |
| | Total number of source operating hours in the reporting year that stack gas flow rate was missing | |
| | Total number of source operating hours in the reporting year that moisture content was missing | oplicable. |
| | CANCEL | |
| | CAMD EPA has attempted to synchronize the information on this form with data already System (CBS). | reported to EPA via the CAMD Business |
| Paperwork Reduction Act Burden | Statement Contact Use-GGRT F | Y2017.R25-j124r35438 SPD-ConfigEmissions |

LME Unit/Stack/Pipe Emission Information

| CEPA United S Errition Agency HOME FACILITY REGISTR | Interse Protection Antion Facility Management Data Reporting Help Desk | Electronic Growabours Gas Reporting Tool Helo, Isaac Locke My Profile Logout |
|--|---|--|
| e-GGRT Help Using e-GGRT for Subpart D reporting | Subpart C Aggregation Subpart D: Electricity Generation (2017) Subpart D Overview - LWE - Unit/Stack/Pipe Emissions Information | |
| | ELECTRON GLARISATING VIET STOCK, OF PRF LEASONS Use the page to active a rund granchous gate assess information for the unit, active or gate Far additional information acouthe data ordered on the page passe use the under the lines (involve) | Amual COx emissions (xhort tons) |
| | Unitips/converter information Unititate/Pape ID LVE Description Part 7:00 Methodisty LVE [[51 56(4(4)(i)) Calculates Methodisty Distance Total 2017 | |
| | Pend Pend Pend Pend Pend Pend Pend Pend | |
| | Annual CO2 emissions (metric tons) including biomass | |
| | Total biogenic CD: mass emissions (metric tons) CNEE CNEE CNEE CNEE CNEE CNEE CNEE CNEE | eported to EPA via the CAMD Business |
| Papenwork Reduction Act Burder | - Annew Garanti | RY2017.R25-j124/35438 SPD-ConfigEmission |

| | tates nental Protection | | | e-GGRT 🞺 |
|---|--|-------------------------|------------------------|--|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT | DATA REPORTING | HELP DESK | Electronic Greenhouse Gas |
| | | | | Hello, Isaac Locke My Profile Logout |
| ? e-GGRT Help | Subpart C Aggregation Subpart D: Electricit | v Generation (| 2017) | |
| Using e-GGRT for Subpart D reporting | Subpart D Overview » LME » Un | | | |
| | ELECTRICITY GENERATING | UNIT, STACK, OR PIP | EEMISSIONS | |
| | Use this page to enter the ann stack, or pipe. For additional in use the e-GGRT Help link(s) p | formation about the da | | page, please Annual CO ₂ emissions (short tons) |
| | | | | Annual CO ₂ emissions (metric tons) |
| | | | | Total biogenic CO ₂ mass emissions |
| | | | | (metric tons) |
| | CAMD UNIT/STACK/PIPE INF | ORMATION | | |
| | Unit/Stack/Pipe ID | LME | | |
| | Description | | | |
| | Part 75 CO ₂ Methology | LME (§75.19(c)(4)(iii)) | | |
| | Calculation Methodology Period | 01/01/2017 - 12/31/201 | 7 | |
| | CAMD TOTAL ANNUAL CO2 N | IASS EMISSIONS | | |
| | | | | |
| | Annual CO: including biomass (report exactly as reported un | emissions | | (short tons) |
| | Annual CO: includir | emissions ng biomass | | (metric tons) |
| | Total biogenic CO2 mass | emissions | | (metric tons) |
| | CANCEL | | | |
| | CAMD EPA has attempted to s System (CBS). | ynchronize the informa | tion on this form with | a data already reported to EPA via the CAMD Business |
| Paperwork Reduction Act Burden | Statement Contact Us | | | e-GGRT RY2017.R25-j124r35438 SPD-ConfigEmissions |

Equation G-1Unit/Stack/Pipe Emissions Information

| | | e-GGRT ፉ |
|--|---|---|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT DATA REPORTING HELP DESK | Electronic Greenhouse Gas Reporting Tool Helo, Isaac Locke My Profile Logout |
| e-GGRT Help Using e-GGRT for Subpart D reporting | Subpart C Aggregation Subpart D: Electricity Generation (2017) Subpart D Overview = Equation G-1=Unit/Sack/Pipe Emissions Information | maio, issue Looke wy Home Logour |
| | ELECTRICITY CONFIRING WHIT, STACK, OR PRFC EMISSIONS Use this papel is near the small performance per sensions allowed in the unit, disc, or type if weak out enhances have been determined by the dia collection on the pape, planer see the «COPIT high intro) provided. | Amisual CO2 emissions (short tons) Amisual CO2 emissions (motic tons) Total tangensi: CO2 must emissions (motic tons) Total tangensi: CO2 must emissions (motic tons) |
| | UNITISTACK/PIPE INFORMATION Unit/Stack/Pipe ID Equation G-1 | |
| | Description Part 75 CO2 Methodology Appendix G, Equation G-1 Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | TOTAL ANNUAL CO2 MASS EMISSIONS | |
| | Annual CO2 emissions including biomass (report emissions exactly as reported under Part 75) | |
| | Annual CO2 emissions (metric tens) Including biomass | |
| | Total biogenic CO2 mass emissions (metric tons) | |
| | MISSING DATA INFORMATION Total number of source operating hours in the reporting year that fuel carbon content was missing | |
| | CANCEL | |
| | CBS). | reported to EPA via the CAMD Business |

| | ates iental Protection | e-GGRT 🔑 |
|--|--|---|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT DATA REPORTING HELP DESK | Electronic Greenhouse Gas Reporting Tool Hello, Isaac Locke My Profile Logout |
| e-GGRT Help Using e-GGRT for Subpart D reporting | Subpart C Accrecation Subpart D: Electricity Generation (2017) Subpart D Overview » Equation G-1» Unit/Stack/Pipe Emissions Information | ion |
| reporting | ELECTRICITY GENERATING UNIT, STACK, OR PIPE EMISSIONS Use this page to enter the annual greenhouse gas emissions information f stack, or pipe. For additional information about the data collected on this p please use the e-GGRT Help link(s) provided. | |
| | CAMD UNIT/STACK/PIPE INFORMATION Unit/Stack/Pipe ID Equation G-1 Description Part 75 CO2 Methdology Appendix G, Equation G-1 Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | including biomass (report emissions exactly as reported under Part 75) | hort tons) netric tons) |
| | MISSING DATA INFORMATION Total number of source operating hours in the reporting year that fuel carbon content was missing | netric tons) |
| | CANCEL SAVE CAMD EPA has attempted to synchronize the information on this form with System (CBS). | n data already reported to EPA via the CAMD Business |

Equation G-4Unit/Stack/Pipe Emissions Information

| CEPA United S Environm Agency HOME FACILITY REGISTR | nental Protection | Electronic Greenhauso Gas Reparting Tool Helio, Incasc Lacke My Photlie Logou |
|--|---|---|
| e-CGRT Help Using e-CGRT for Subpart D reporting | Subpart C Aggregation Subpart D: Electricity Generation (2017) Subpart D Overview a equation g-4 sUntriStack/Pipe Emissions Information | |
| | ELECTRICITY GENERATING UNIT, STACK, OR PIPE EMISSIONS Use his page to effect the annual greenhouse gas emissions information for this unit stack, or pipe, for additional information about the data collected on this page, please use the e-30RT Help Int(s) provided. | Annual COr emissions (short tons) |
| | | Annual CD2 emissions (metric tons) |
| | UNIT/STACKPIPE INFORMATION | |
| | Description | |
| | Part 75 CO2 Methology Appendix G. Equation G-4 | |
| | Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | TOTAL ANNUAL CO2 MASS EMISSIONS | |
| | Annual CO2 emissions (short tons) including biomass (report emissions exactly as reported under Part 70) | |
| | Annual CO2 emissions (metric tons) | |
| | Total biogenic CO2 mass emissions (metric tons) | |
| | MISSING DATA INFORMATION Total number of source operating hours in the reporting year that fuel flow rate was missing | |
| | Total number of source operating hours (hours) in the reporting year that high heating value was missing | |
| | CANCEL SAVE | |
| | EXCEP EPA has attempted to synchronize the information on this form with data already System (CBS). | reported to EPA via the CAMD Business |
| perwork Reduction Act Burder | - CONT | RY2017 R25-124/35438 SPD-ConfigEnissi |

| | ates nental Protection | e-GGRT 🎺 |
|---|--|---|
| HOME FACILITY REGISTR | ATION FACILITY MANAGEMENT DATA REPORTING HELP DESK | Electronic Greenhouse Gas Reporting Tool Hello, Isaac Locke My Profile Logout |
| 🕐 e-GGRT Help | Subpart C Aggregation | rielo, isaac cooke wy rioline cogou |
| Using e-GGRT for Subpart D reporting | Subpart D: Electricity Generation (2017) Subpart D Overview » equation g-4 » Unit/Stack/Pipe Emissions Information | |
| | ELECTRICITY GENERATING UNIT, STACK, OR PIPE EMISSIONS Use this page to enter the annual greenhouse gas emissions information for this unit, | |
| | stack, or pipe. For additional information about the data collected on this page, please use the e-GGRT Help link(s) provided. | Annual CO ₂ emissions (short tons) |
| | | Annual CO2 emissions (metric tons) |
| | | Total biogenic CO2 mass emissions (metric tons) |
| | | |
| | Unit/Stack/Pipe ID equation g-4 | |
| | Description | |
| | Part 75 CO2 Methology Appendix G, Equation G-4 Calculation Methodology 01/01/2017 - 12/31/2017 Period | |
| | CAMD TOTAL ANNUAL CO2 MASS EMISSIONS | |
| | Annual CO2 emissions (short tons) including biomass (report emissions exactly as reported under Part 75) | |
| | Annual CO2 emissions (metric tons) including biomass | |
| | Total biogenic CO2 mass emissions (metric tons) | |
| | MISSING DATA INFORMATION Total number of source operating hours in the reporting year that fuel flow rate was missing | |
| | Total number of source operating hours (hours) in the reporting year that high heating value was missing | |
| | CANCEL SAVE | |
| | CAMD EPA has attempted to synchronize the information on this form with data already r System (CBS). | eported to EPA via the CAMD Business |
| Paperwork Reduction Act Burden | Statement Contact Us e-GGRT | RY2017.R25-j124r35438 SPD-ConfigEmissions |

See Also

Screen Errors Using e-GGRT to Prepare Your Subpart D Report Subpart D Unit Information Subpart D Unit Emissions and Missing Data Information Subpart D Fuel Information Subpart Validation Report